

2025
COLLECTION



Handwritten signature

Louvers

SEAMLESS DESIGNER PLANKS



TERMITE
RESISTANT



BORER
RESISTANT



WATER
RESISTANT






8901 - 8ft(L) x 10in(W)



8902 - 8ft (L) x 10in(W)
98902 - 9.5ft(L) x 10in(W)



8822 - 8ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)




Recommended
Euro Pratik Special
Purpose Adhesive



8904 - 8ft (L) x 10in(W)
98904 - 9.5ft(L) x 10in(W)



8821 - 8ft (L) x 10in(W)



8922 - 8ft(L) x 10in(W)




Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



8913 - 8ft (L) x 10in(W)



8903 - 8ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)

WIDTH - 240mm (10in)




Recommended
Euro Pratik Special
Purpose Adhesive



8917 - 8ft(L) x 10in(W)
98917 - 9.5ft(L) x 10in(W)



8918 - 8ft (L) x 10in(W)
98918 - 9.5ft(L) x 10in(W)



8919 - 8ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES


LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



8920 - 8ft(L) x 10in(W)



8921 - 8ft (L) x 10in(W)



8912 - 8ft(L) x 10in(W)
98912 - 9.5ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES


LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



Recommended
Euro Pratik Special
Purpose Adhesive



8823 - 8ft (L) x 10in(W)



8824 - 8ft(L) x 10in(W)
98824 - 9.5ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



8827 - 8ft(L) x 10in(W)
98827 - 9.5ft(L) x 10in(W)



8828 - 8ft (L) x 10in(W)



8829 - 8ft(L) x 10in(W)
98829 - 9.5ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



Recommended:
Euro Pratik Special
Purpose Adhesive



8830 - 8ft(L) x 10in(W)



8914 - 8ft (L) x 10in(W)



8915 - 8ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)

WIDTH - 240mm (10in)



8916 - 8ft (L) x 10in(W)



8826 - 8ft(L) x 10in(W)
98826 - 9.5ft(L) x 10in(W)



8825 - 8ft(L) x 10in(W)




Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



Recommended
Euro Pratik Special
Purpose Adhesive



8909 - 8ft (L) x 10in(W)



8905 - 8ft (L) x 10in(W)
98905 - 9.5ft(L) x 10in(W)



8911 - 8ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES


LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)
WIDTH - 240mm (10in)



8906 - 8ft (L) x 10in(W)



8907 - 8ft (L) x 10in(W)



8910 - 8ft(L) x 10in(W)



Recommended
Euro Pratik Special
Purpose Adhesive

SIZES

LENGTH - 2440mm(8ft.) / 2850mm(9.5ft.)

WIDTH - 240mm (10in)



Recommended
Euro Pratik Special
Purpose Adhesive

Louvers

SEAMLESS DESIGNER PLANKS

Recommended Euro Pratik
Special Purpose Adhesive



LOUVERS HANDLING PRECAUTIONS

- * Recommend to keep in room temperature 24/48 hrs for acclimatization.
- * Gently handle the edge of the product.
- * Make sure the base where the Louvers are being installed is smooth and dust free.
- * Euro Pratik special glue is recommended to use.
- * Louvers are intended only for indoor use.
- * Avoid direct sunlight or use installation near hobs/stove.
- * Louvers are water proof but prolonged exposure to moisture can do harm to the product.
- * Cleaning ONLY with a soft damp cloth without any chemicals or cleaning agents.



SEAMLESS &
READY TO USE



INTRICATE &
DETAILED DESIGNS



LESS WASTAGE
ON OVERLAPPING



TERMITE
RESISTANT



BORER
RESISTANT



WATER
RESISTANT

EURO PRATIK
An Opus of Products

✉ info@europratik.com | follow us on
🌐 www.europratik.com |  



Euro Pratik products add natural beauty to your interiors. Utmost care has been taken to give accurate description specification. use same batch material to avoid color variation. Errors and omission, if any please excuse. Technical specifications of products are subject to change without prior intimation. No guarantee/ warranty after installation. Dimension tolerance +/- 5-10%